

BWT T.F. SEALANT

MATERIAL SAFETY DATA SHEET

1 HMIS HEALTH
0 HMIS FLAMMABILITY
0 HMIS REACTIVITY
C HMIS PERSONAL PROTECTION

=====
SECTION I - IDENTIFICATION
=====

MANUFACTURER'S NAME..... Distributed by;
United Community Services of America
3002 State RT 23
Newfoundland, New Jersey 07435
PHONE NUMBER..... (973) 208-1122
EMERGENCY PHONE NUMBER... (800) 424-9300
EFFECTIVE DATE..... January 30, 1999
TRADE NAME..... BWT T.F. SEALANT
CHEMICAL FAMILY..... Acrylic Copolymer Emulsion
CAS NUMBER..... Blend
CHEMICAL FORMULA..... Proprietary

=====
SECTION II - HAZARDOUS INGREDIENTS
=====

HAZARDOUS COMPONENTS	%	TLV (Units)	PROD. CAS #
Proprietary Acrylic Polymer Blend	39	None Established	Trade Secret
Individual Monomers	Conf.	None Established	Trade Secret
Proprietary Non-Hazardous	Conf.	None Established	Trade Secret

All ingredients in this product are on the TSCA Inventory List.

=====
SECTION III - PHYSICAL DATA
=====

BOILING Point (F)..... 212 Deg F
FREEZING POINT (F)..... 32 F
VAPOR PRESSURE (mm Hg)... 17.5
VAPOR DENSITY (Air=1)... < 1
SOLUBILITY IN H2O..... Diluteable
APPEARANCE/ODOR..... Milky White Liquid/Mild Amine Odor
SPECIFIC GRAVITY (H2O=1). 1.0 - 1.2
PH..... 8.0 - 9.0

=====
SECTION IV - FIRE AND EXPLOSION HAZARD DATA
=====

FLASH POINT..... Non flammable liquid
LOWER FLAME LIMIT..... N/A
HIGHER FLAME LIMIT..... N/A
EXTINGUISH MEDIA..... Determined by surrounding material. Water fog or spray, Foam, Dry Powder, Carbon Dioxide (CO2).

BWT T.F. SEALANT

UNUSUAL FIRE HAZARD..... Material can splatter above 212 Deg F. Polymer film can burn.

=====
SECTION V - HEALTH HAZARD DATA
=====

THRESHOLD LIMIT VALUE.... None Established for this Product.

ROUTES OF ENTRY	INHALATION?	SKIN?	INGESTION?
	Irritant	Possible Irritant	Irritant

HEALTH HAZARDS Irritating to skin and eyes. Vapor or mist can irritate nose and throat and cause headache and nausea.

CARCINOGENICITY	NTP?	IARC MONOGRAPHS?	OSHA REGULATED
	No	No	No

OVER EXPOSURE EFFECTS.... Inhalation of vapor or mist can cause the following: headache, nausea, irritation of nose, throat, and lungs.

FIRST AID PROCEDURES..... In case of eye contact, flush immediately with plenty of water for at least 15 minutes and get medical attention; for skin, wash thoroughly with soap and water. If affected by inhalation of vapor or spray mist, remove to fresh air. If swallowed, do not induce vomiting, get immediate medical attention.

=====
SECTION VI - REACTIVITY DATA
=====

CHEMICAL STABILITY..... Stable
CONDITIONS TO AVOID..... Excessive Heat, freezing temperatures.
INCOMPATIBLE MATERIALS... Oxidizers or Oxidizing Materials.
DECOMPOSITION PRODUCTS... From fire; Smoke, Carbon dioxide, & Carbon Monoxide
HAZARDOUS POLYMERIZATION. Will Not Occur
POLYMERIZATION AVOID..... None

=====
SECTION VII - SPILL OR LEAK PROCEDURE
=====

FOR SPILL In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations.

WASTE DISPOSAL METHOD.... Follow State Regulations.

=====
SECTION VIII - SPECIAL PROTECTION
=====

RESPIRATORY PROTECTION... NIOSH Approved vapor/mist
VENTILATION..... Local exhaust
MECHANICAL EXHAUST..... Desired in closed places
LOCAL EXHAUST..... Recommended

BWT T.F. SEALANT

PROTECTIVE GLOVES..... Wear impervious gloves
EYE PROTECTION..... Safety Glasses or approved equivalent.
OTHER PROTECTIVE
EQUIPMENT..... HMIS PERSONAL PROTECTION: C: Safety Glasses,
Gloves, Apron

=====

SECTION IX - SPECIAL HANDLING

=====

HANDLING AND STORAGE..... Do not store above 120 F or below 32 F.
PRECAUTIONARY MEASURES... Provide fresh air ventilation during and after
application. Close container after each use. Avoid
prolonged or repeated contact with skin. Avoid
contact with skin, eyes, and clothing. After handling
this product, wash hands before eating, drinking, or
smoking.
HAZARD CLASS..... NON-REGULATED
DOT SHIPPING NAME..... DOT NON-REGULATED - BWT T.F. SEALANT
REPORTABLE QUANTITY (RQ). None
UN NUMBER..... None
NA #..... None
PACKAGING SIZE..... Pail, Drum & Bulk

FOOT NOTES NA - NOT APPLICABLE ND - NO DATA AVAILABLE
> = GREATER THAN < = LESS THAN

PREPARED BY:..... Prepared for: United Community Services of America -
(973) 208-1122
REVISED DATE..... January 30, 1999

THIS PRODUCT'S SAFETY INFORMATION IS PROVIDED TO ASSIST OUR CUSTOMERS IN
ASSESSING COMPLIANCE WITH HEALTH, SAFETY AND ENVIRONMENTAL REGULATIONS. THE
INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US AND IS BELIEVED
TO BE ACCURATE, ALTHOUGH NO GUARANTEE OR WARRANTY IS PROVIDED BY THE COMPANY IN
THIS RESPECT. SINCE THE USE OF THIS PRODUCT IS WITHIN THE EXCLUSIVE CONTROL OF
THE USER, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE
OF THIS PRODUCT. SUCH CONDITIONS SHOULD COMPLY WITH ALL FEDERAL REGULATIONS
CONCERNING THE PRODUCT.

BWT T.F. SEALANT

REGULATORY INFORMATION

=====
SECTION I - IDENTIFICATION
=====

MANUFACTURER'S NAME..... Distributed by;
United Community Services of America
3002 State RT 23
Newfoundland, New Jersey 07435
PHONE NUMBER..... (973) 208-1122
EMERGENCY PHONE NUMBER... (800) 424-9300
EFFECTIVE DATE..... January 30, 1999
TRADE NAME..... BWT T.F. SEALANT
CHEMICAL FAMILY..... Acrylic Copolymer Emulsion

=====
SECTION X - REGULATORY
=====

EPA ACUTE..... Yes (Eyes)
EPA CHRONIC..... No
EPA IGNITABILITY..... No
EPA REACTIVITY..... No
EPA SUDDEN RELEASE OF
PRESSURE..... No

CERCLA RQ VALUE..... None

SARA TPQ..... None
SARA RQ..... None
SECTION 313..... No

THE CHEMICALS LISTED ABOVE IN SECTION 313 CAN BE FOUND WITH THEIR C.A.S.
NUMBERS AND PERCENTAGES IN SECTION II OF THIS MATERIAL SAFETY DATA SHEET.

EPA HAZARD WASTE #..... None
CLEANAIR..... NA
CLEAN WATER..... NA